



June 3, 1975

Mr. Henry Gluckstern, Attorney
Enforcement & Regional Counsel Div.
U.S. Environmental Protection Agency
Region II - 26 Federal Plaza
New York, New York 10007

Dear Mr. Gluckstern: Re: Violation of 40 CFR Part 112;
 Reassessment of Civil Penalty

We confirm yesterdays conversation regarding your letter of
May 15, 1975.

With regard to the pollution problem which we had on January
30, 1975, we realize that this was only briefly mentioned in
the report. We have, however, attached an addendum to our in-
plant SPCC Plan giving a chronological report of the spill.

The two tank truck loading areas have both been equipped with a
warning sign advising the trucker to be sure to disconnect his
hose before moving his vehicle and that our Receiving Agent
ensures that this is done.

We have been working for sometime now to determine a method of
disposing of the buried chemical waste which is on our property.
Intermediate work has been done in this area with the N.J. Bureau
of Water Resources to ensure that there is no possible run off
into the Rockaway River. The most promising method of disposal
has been found to be by utilizing an approved land fill site,
however, as you are aware, there are not an abundance of sites
available. We presently have two leads available and we will advise
you accordingly when the procedure has been decided upon.

Very truly yours,

L.E. CARPENTER & COMPANY

Henry Jarrett

HENRY JARRETT, PLANT ENGINEER

HJ:AMR

346286

